

SANITARYWARE CATALOG



**SOMETHING
ATTRACTIVE...**





*Modern Timeless
Classic Design*



Index

05 one piece
closet & two piece
closet

27 water closet

34 table top

39 wash basin
pedestal

47 wall hung
wash basin

54 sink

18 wall hung
closet

32 single half basin

37 one piece
basin

45 wash basin
half pedestal

51 pan & urinal

55 seat cover & flush tank


one piece
closet






SPENTA 101
L 690 W 370 H 735 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
S-Trap Wall Distance: 300 mm
P-Trap Wall Distance: 180 mm



LETINA 102
L 725 W 390 H 685 MM


Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm






PRADO 103
L 670 W 380 H 755 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm



NEO 104
L 640 W 360 H 700 MM


Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm






SWIM 105
L 700 W 350 H 720 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm



SKY 106
L 640 W 360 H 760 MM


Flush-Siphonic
S-Trap Wall Distance: 225 mm






SNOW 107
L 640 W 360 H 740 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm



DIAMOND 108
L 665 W 380 H 765 MM


Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm






SPACE 109
L 650 W 365 H 740 MM

Flush-Siphonic
S-Trap Wall Distance: 225 mm
S-Trap Wall Distance: 300 mm



STYLO 110
L 730 W 360 H 740 MM


Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm






VEGA 111
L 680 W 360 H 710 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm



ERA 112
L 660 W 355 H 765 MM


Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm






ROLEX 113
L 645 W 340 H 725 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm



CRUSE 114
L 650 W 345 H 690 MM


Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm






ZORO 115
L 650 W 350 H 730 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
P-Trap Wall Distance: 180 mm



SPANIA 116
L 685 W 360 H 710 MM


Flush-Siphonic
S-Trap Wall Distance: 225 mm





RAPID 117
L 650 W 370 H 740 MM


Flush-Siphonic
S-Trap Wall Distance: 225 mm



LUMINA 118
L 660 W 365 H 740 MM

Flush-Siphonic
S-Trap Wall Distance: 225 mm


Flush-Washdown
S-Trap Wall Distance: 300 mm





CRYSTAL 119
L 640 W 350 H 740 MM

Flush-Washdown
S-Trap Wall Distance: 225 mm
S-Trap Wall Distance: 100 mm
P-Trap Wall Distance: 180 mm




BABY ONE PIECE 120
L 450 W 270 H 540 MM

Flush-Washdown
S-Trap, P-Trap





SPEED 2001
L 700 W 375 H 650 MM
Flush-Washdown
S-Trap, P-Trap




ITALIAN 2002
L 635 W 355 H 735 MM
Flush-Washdown
S-Trap, P-Trap






CAPTIVA 2003
L 660 W 345 H 795 MM
Flush-Washdown
S-Trap, P-Trap



IRANI 2004
L 610 W 355 H 780 MM
Flush-Washdown
S-Trap, P-Trap




wall hung
closet






ALDO 201
L 510 W 350 H 480 MM
Flush-Rimless




REDOR 203
L 520 W 370 H 360 MM
Flush-Rimless






DELL 204
L 545 W 345 H 345 MM
Flush-Washdown




CIVIC 205
L 540 W 340 H 325 MM
Flush-Rimless






OZONE 206
L 560 W 380 H 355 MM
Flush-Washdown




PIXEL 207
L 530 W 360 H 310 MM
Flush-Washdown






NARROW 208
L 495 W 355 H 365 MM
Flush-Washdown




MARVEL 209
L 495 W 355 H 380 MM
Flush-Rimless






ACCORD 210
L 495 W 355 H 340 MM
Flush-Washdown




ZETA 211
L 530 W 435 H 360 MM
Flush-Washdown / Rimless






SEMI 212
L 500 W 345 H 370 MM
Flush-Washdown




CASIO 213
L 505 W 365 H 375 MM
Flush-Washdown






CRENZA 214
L 510 W 350 H 345 MM
Flush-Washdown




COROLIA 215
L 510 W 360 H 330 MM
Flush-Rimless





VISTA 216
L 505 W 345 H 345 MM
Flush-Rimless




water closet






KETO 301
L 500 W 360 H 390 MM
Flush-Washdown
S-Trap




VITRA 302
L 520 W 350 H 400 MM
Flush-Washdown
S-Trap






ROCA 303
L 540 W 350 H 400 MM
Flush-Washdown
S-Trap



EUROPA 304
L 455 W 380 H 400 MM
Flush-Washdown
S-Trap






EWC 305

L 470 W 370 H 410 MM


Flush-Washdown
S-Trap, P-Trap



ANGLO 306

L 520 W 430 H 400 MM



Flush-Washdown
S-Trap





SQUARE EUROPA 307
L 500 W 345 H 410 MM

Flush-Washdown
S-Trap, P-Trap



single half
basin





DIANNA 401
L 500 W 440 H 395 MM



ORLANDO 402
L 490 W 440 H 390 MM



MINI COPPER 403
L 345 W 375 H 255 MM



CABRON 404
L 460 W 360 H 435 MM

table top



BLISS 501
L 615 W 385 H 130 MM



ROSATA 503
L 540 W 400 H 125 MM



BEETLE 504
L 490 W 320 H 130 MM



LATRA 505
L 600 W 350 H 130 MM



TORO 506
L 450 W 325 H 140 MM



SHALLOW 507
L 410 W 340 H 130 MM



VIVO 508
L 600 W 415 H 150 MM



ALASKA 509
L 415 W 415 H 135 MM



LAVA 510
L 400 W 300 H 170 MM



LEVIS 512
L 550 W 380 H 120 MM



STROM 513
L 410 W 310 H 110 MM



ARIS 514
L 480 W 360 H 125 MM



GLASSIA 515
L 500 W 410 H 140 MM

one piece
basin





LAVABO 601
L 445 W 445 H 835 MM



BALANCO 602
L 450 W 450 H 800 MM



CROWN 603
L 400 W 400 H 830 MM



BENTALO 604
L 470 W 360 H 775 MM



MOSCO 605
L 385 W 385 H 795 MM

wash basin
pedestal





LIBRA 701
L 575 W 455 H 820 MM



MILANO 702
L 550 W 400 H 830 MM (22"X16")



DIAMOND 703
L 570 W 450 H 830 MM



STYLO 704
L 570 W 460 H 840 MM



ARON 705
L 510 W 410 H 840 MM



ARROW 706
L 510 W 400 H 840 MM



LAVANDAR 707
L 510 W 400 H 820 MM



AMSTEL 708
L 570 W 420 H 860 MM



CARLOS 709
L 565 W 450 H 825 MM



BLOSSOM 710
L 570 W 430 H 840 MM



REPOSE 711
L 550 W 400 H 825 MM



PRADO 712
L 570 W 450 H 830 MM



MILANO 713
L 450 W 370 H 780 MM (18"X14")



SOPHIA 714
L 575 W 425 H 850 MM



VIDEOCON 715
L 570 W 475 H 830 MM



LAURET 716
L 560 W 455 H 870 MM



TITAN 717
L 555 W 420 H 840 MM



TRIP 718
L 515 W 430 H 830 MM



MILANO HALF 801
L 550 W 400 H 540 MM (22"X16")



MILANO HALF 802
L 450 W 370 H 500 MM (18"X14")



LAVANDAR HALF 803
L 510 W 400 H 470 MM



DIAMOND HALF 804
L 570 W 450 H 480 MM



STYLO HALF 805
L 570 W 460 H 540 MM



SOPHIA HALF 806
L 575 W 425 H 500 MM

wall hung
wash basin





MILANO 901
L 450 W 370 H 160 MM



CLARA 902
L 400 W 310 H 135 MM



LUNAR 903
L 460 W 345 H 115 MM



GOLDEN 904
L 460 W 360 H 170 MM



ORSIDO 905
L 395 W 295 H 120 MM



MAX 906
L 430 W 300 H 125 MM



KONA 908
L 450 W 310 H 150 MM



TEXA 909
L 300 W 310 H 190 MM



CLASSY 910
L 365 W 270 H 135 MM



NANO CORNER 911
L 340 W 340 H 130 MM



CORNER 912
L 400 W 400 H 160 MM



AARA 913
L 460 W 360 H 105 MM



DOVE 914
L 420 W 315 H 135 MM



SARA 915
L 455 W 345 H 140 MM



YUGA 916
L 460 W 350 H 110 MM



MINI YUGA 917
L 340 W 300 H 120 MM

pan & urinal





ORISSA PAN 20"
L 500 W 410 H 230 MM



ORISSA PAN 23"
L 580 W 445 H 250 MM



AQUA PAN 20"
L 500 W 410 H 280 MM



CT PAN 20"
L 500 W 410 H 170 MM



EASTERN 20"
L 520 W 430 H 140 MM



P-TRAP



P-TRAP BIG



ALIVA 1001
L 370 W 355 H 545 MM



FEARO 1002
L 280 W 250 H 530 MM



MINI ALFA 1003
L 290 W 265 H 400 MM



FLAT BACK 1004
L 340 W 250 H 400 MM



VENITO 1005
L 310 W 325 H 570 MM



QUATZ KITCHEN SINK

size: 24"x18"
21"x18"
16"x18"


color: Metallic - Black



SS KITCHEN SINK

size: 24"x18"
22"x18"
21"x18"
20"x17"
16"x18"

Available Depth: 8", 9"



HAND MADE KITCHEN SINK

size: 24"x18"
21"x18"
16"x18"



CERAMIC KITCHEN SINK

L 600 W 450 H 250 MM
(24"x18"x10")



EWC



ANGLO



729



735



743



784



FLUSH TANK 01 (SINGLE FLUSH)



**FLUSH TANK 02
(SINGLE AND DUAL FLUSH)**



CONCEALED TANK 04




FITTING



RACK BOLT

TECHNICAL SPECIFICATION




WALL HUNG BASIN

As per shown in the picture, the rag bolt must be grouted into the cement/concrete wall. The bolts must be fixed to the cement/concrete wall. Allow setting and checking than install it using nut and washer.

COUNTER WASHBASIN

At the beginning

1. A skilled or experienced person should install counter lavatories.
2. Avoid using adhesive with this product.
3. Check the waste area and supply tubing if required.
4. Do not open the lavatory from its protective carton until you are ready for installation.
5. Please follow all local building and plumbing codes.




MATERIAL AND TOOLS

Measure tape, keyhole or sabre saw, Hammer, Glasses, Rags or Paper towelling, Drill (1/2 diameter, drill bit or larger), Pencil, sealant, sharp knife or scissors.

INSTALLATION OF LAVATORY


Please note: Please install it in a way that future removal from underneath the counter top is possible without damaging the counter top.

1. Please check the desired location for clearance between the back splash, faucet, fixture and cabinet.
2. Please cut the template.
3. Please carefully trace the template on the counter top directed.
4. Please mark the faucet hole centreline on the counter top.
5. Please drill a 1/2" pilot on the inside of the cut line.




FOR WOOD COUNTER TOPS

1. Mark and pre-drill the wood screw holds at the locations shown on the template.
2. Water proof any exposed areas of wood.



FOR MARBLE COUNTER TOPS

1. Position the counter top upside down on foam padding to protect the surface. Mark and drill 3/6" holes 5/6" deep at the locations shown on the template.
2. Use a setting tool and hammer to secure the anchors.



FOR ALL INSTALLATIONS

1. If the counter top has not been installed, install it at this time.
2. Drill the faucet holes according to the faucet installation instructions.
3. Install the faucet to the counter top according to the manufacture's instructions.
4. Install the drain to the lavatory according to the manufacture's instructions.

MAINTENANCE

Like any other part of your house, the bathroom can be made to look great and made to last long if it is taken care of regularly. To make your bathroom beautiful here are some invaluable tips.

Wash Basin

A mild detergent can be used to wash at least once a day. After washing, the basin should be wiped out clearly to avoid water stains.

Closets

Cleanser like Harpic can be used to clear the closet with soft plastic brush, at least once a day.

To avoid minute discolouring, after flushing the toilet give it a once over with the soft brush.

Keep the toilet brush handy in a convenient stand nearby.

In case of toilets and basins, if there has been no maintenance since long period of time, water deposits and discolouration can form on the surface of areas that get wet. In such cases, these stains/marks can be removed with the help of a solution of dilute hydrochloric acid.

Clean with a soft cotton cloth and warm water with soap.

TROUBLESHOOTING GUIDE

ITEM	PROBLEM	PROBABLE REASONS	CORRECTIVE ACTIONS
Wash Basins/ Table Top	1. Overflow chocked and foul bed odor	Waste coupling used may be full threaded	Waste coupling should be changed to slot cou coupling
	2. Water deposit on tap platform area and inside bowl area	Basin is not fixed in level or bracket is no in level	Should be done by proper leveling
	3. There is no tap hole in basin	Tap hole could be semi punched form back side	Tap hole should be created by plumber from semipunched area
EWC/Pan/Anglo Indian	1. Water not coming in bowl area while flushing	Flush bend is not inserted up to the end of inlet hole	Insert the flush pipe up to the end of inlet (for pan closet: check whether flush pipe is not covering flush hole which is in both side of inlet wall)
		Closet / Pan may not be leveled	Should be done by proper leveling
One Piece Closet	1. Water not coming in bowl area while flushing	Mechanish inside tank is not working properly	Change the center pump of mechanism
		There is no water in flush tank	Increase the ball cock height to the max level
	2. Water is continously leaking inside the bowl	Mechanism inside tank could not working properly	Change the center pump of mechanism
	3. Water quantity insufficient for effective flushing	Ball cock height adjusted at lower level	Increase the ball cock height to the max level
Wallhung Water Closet	1. Water not coming in bowl area while flushing	Flush valve may not be working properly/ conceled cistern is not working properly	Change flush valve/ conceled cistern
	2. Water is continously leaking inside the bowl	Closet is not leveled properly	Closet should be in proper level
	3. Water quantity insufficient for effective flushing	Connection between closet outlet and drainage pipe is not proper	Should be done by proper connection by experienced plumber

Colours



*selected products only

Running Colours



Special Colours

